

2.2V-5.5V Vin, 1A, 8uA I_Q, Low-Dropout Regulator

Kn an la are_a	K p p Rklp ca	L _g ca	L _g ca l nge c	LEJO	I OH	Pn ol krpl a e (M pæu



O P3-, -, =, , M P N

J=I A	J=I A	LEJ BQJ PÆJ

--	--	--

L= N= I APAN	ABEJ P K J	I E	I = T	QJ P

L= N= I APAN	ABEJ P K J	I E	I = T	QJ P







- (1)
- (2)

L= N= I APAN	ABEJ P K J	I E	I = T	QJ P


- (1)
- (2)

O P3-, -, =, , M Oanæo


OUI KH	L=N=I APAN	PAOP KJ PPKJ	I EJ PUL I =T	QJEP




O P3-, -, =, , M Oanao













E pan hOktp)Op rp



Lks an)Ckk Lks an)Ckk ah u


≈







Pdari hOd p ks

Pul e_ h l l l æ_ pæ /



aoæ L n i aparó	
aoæ L n i aparó	At i l l a R h a






O P3-, -, =, , M Oanao






Lks an ood pk Pdari hLartkri _a

Pdari hLartkri _a kb ddaa pL _g cao oa k ARI Paop

L _g ca	I t = lks la L S JkpPneanPO (RKQP - 4R	I t = lks la L S PF -. 1°C	N F= ARI °C S




=||hē_pk S raknri o k pe a





O P3-, -, =, , M Oanao

H uk pC e afe a

- 1.
- 2.
- 3.
- 4.
- 5.



O P3-, -, =, , M P N



User Direction of Feed

JKPE A